

Message

---

**From:** Frazier, William Mark [william.frazier@doh.hawaii.gov]  
**Sent:** 6/6/2016 5:56:01 PM  
**To:** Takaba, Richard R [richard.takaba@doh.hawaii.gov]; Pallarino, Bob [Pallarino.Bob@epa.gov]; steven.chang@doh.hawaii.gov; roxanne.kwan@doh.hawaii.gov; Whittier, Robert [Robert.Whittier@doh.hawaii.gov]  
**CC:** Linder, Steven [Linder.Steven@epa.gov]  
**Subject:** RE: New version of Comment letter for MWIWP  
**Attachments:** (mf response 6-6-16) Regulatory Agencies Partial Approval of Red Hill April 27 2016 MWIWP with Enclosure 2 June 2016.docx

I forgot to include the updated attachment.

--

Mark Frazier  
Geologist  
Underground Injection Control  
Safe Drinking Water Branch  
State of Hawaii  
(808) 586-4258  
[william.frazier@doh.hawaii.gov](mailto:william.frazier@doh.hawaii.gov)

---

**From:** Takaba, Richard R  
**Sent:** Friday, June 03, 2016 5:21 PM  
**To:** 'Pallarino, Bob' <Pallarino.Bob@epa.gov>; Chang, Steven Y <steven.chang@doh.hawaii.gov>; Kwan, Roxanne S <roxanne.kwan@doh.hawaii.gov>; Whittier, Robert <Robert.Whittier@doh.hawaii.gov>; Frazier, William Mark <william.frazier@doh.hawaii.gov>  
**Cc:** Linder, Steven <Linder.Steven@epa.gov>  
**Subject:** RE: New version of Comment letter for MWIWP

Bob,

Mark F and Bob W answered most of the questions. Mark, there appears to be some yellow highlighted questions that you didn't answer. Let's give Bob P everything we can since EPA drafted this excellent letter. Bob W made comments too. Thank you

Rich

---

**From:** Pallarino, Bob [<mailto:Pallarino.Bob@epa.gov>]  
**Sent:** Thursday, June 02, 2016 7:29 AM  
**To:** Chang, Steven Y <[steven.chang@doh.hawaii.gov](mailto:steven.chang@doh.hawaii.gov)>; Kwan, Roxanne S <[roxanne.kwan@doh.hawaii.gov](mailto:roxanne.kwan@doh.hawaii.gov)>; Takaba, Richard R <[richard.takaba@doh.hawaii.gov](mailto:richard.takaba@doh.hawaii.gov)>; Whittier, Robert <[Robert.Whittier@doh.hawaii.gov](mailto:Robert.Whittier@doh.hawaii.gov)>; Frazier, William Mark <[william.frazier@doh.hawaii.gov](mailto:william.frazier@doh.hawaii.gov)>  
**Cc:** Linder, Steven <[Linder.Steven@epa.gov](mailto:Linder.Steven@epa.gov)>  
**Subject:** New version of Comment letter for MWIWP

DOH folks,

Please give this letter a careful read. I have included an enclosure that captures the comments that Bob and Mark made on the plan, but I have reworded some of them and I have some questions. You will see a bunch of bold, yellow highlighted comments from me on your comments. I still need to fully digest the BWS comment letter and I need you to do so as well. We may need to revise this letter again to incorporate any BWS comments that we agree with. I can set up a call for early next week to discuss if we need to talk.

Bob

Bob Pallarino  
U.S. EPA Region 9  
Underground Storage Tank Program Office  
Land Division  
LND-4-3  
75 Hawthorne Street  
San Francisco, CA 94105  
(415) 947-4128  
[pallarino.bob@epa.gov](mailto:pallarino.bob@epa.gov)